Klamath River (Link River to Seiad Valley) Master Sediment Budget

Master Seamle		Reach Description			Input Sum	nmary			Tribut	ary/Watersh	ed				Land	slides	Other Sources	el			Transport	Deficit/Surplus				
		Keach Description							IIIbut	ii y/ vv atei siii	eu				Land	silues	Other Sources				Transport	Delicitourpius	5			
Reach	Subreach	Upstream Extent	Downstream Extent	River Mile	Input Source	Tributary Name	Relation to Mainstem Looking DS (river right (R), river left (L))		Watershed Area (m²)				Connectivity Factor ¹	Sediment Yield ² (tons/mi2/yr)	Volume of Slide (yds ³)	Tons of slide (using bulk density of 1.485 tons/yds³)	Streambanks and floodplair	Total Load Delivery (tons/ year)	Bedload Delivery	Cummulative Bed Material Load + Bedload Delivery by Reach (tons/ year)	Theoretical Average Annual Transport Capacity ³ (tons/yr)	Potential Average Annual Deficit or Surplus by Cell (tons/yr)	Potential Average Annual Deficit or Surplus by Reach or Subreach (tons/yr)	Actual Average Annual Deficit or Surplus by Reach or Subreach (tons/yr)	Cumulative Deficit to Downstream Reach (tons/year)	Notes
Link	Link	Link River Dam	Keno Dam	254 5 252	Reach Watershed Area ⁴			70400	284889000	205	110.00	ark Diagonno	0.01	101.7				244	169							
Reach Total	LITIK	Link River Dam	Keno Dam	254.5-253	Reach Watershed Area			70400	284889000	285	110.00	arly Disconnec	0.01	191.7				211 211	169		250000	-249831	-249831	-169	0	Material historically trapped in Lake Euwana
Keno					Reach Watershed Area ⁵																200000	210001	2.0001			- OTTAIN
Reach Total	Keno JC Boyle res.	Keno dam J.C. Boyle res.	J.B. Boyle res. J.C. Boyle dam	233.3-229 229-224.6				50611 51788	204810483 209573517	205 210	79 81	1	0.25 0.25	191.7 191.7				3790 3878 7668	3032 3102 6134	3032 6134	900000 0 900000	-896968 3102	-893866	-6134	-6134	Deficit to J.C. Boyle Reach
J.C. Boyle		J.C. Boyle dam	Conce dom		Tributaries Connected to the Mainstem ⁹																					
	JC Boyle bypass JC Boyle bypass	J.C. Boyle dam	Copco dam J.C. Boyle Peaking J.C. Boyle Peaking	224.7 224.6	the Mainstern	unnamed trib a unnamed trib b	R R	85 2100	344934 8498236	0 8	0.13 3.28	m m	0.5 0.5	191.7 191.7				13 315	10 252	10 262	260000	-259990 -259738				
	JC Boyle bypass JC Boyle bypass	J.C. Boyle dam	J.C. Boyle Peaking J.C. Boyle Peaking	224.5 224.3		unnamed trib c unnamed trib d	R	2707 4357	10955700 17631205	11 18	4.23 6.81	m m	0.5 0.5	191.7 191.7				405 652	324 522	586 1108		-259414 -258892				
	JC Boyle bypass	J.C. Boyle dam	J.C. Boyle Peaking	222.3		unnamed trib e	Ĺ	1283	5190191 1326147	5	2.00	h	1	191.7				384 98	307 79	1415 1494		-258585 -258506				
Cubtotal	JC Boyle bypass JC Boyle bypass		J.C. Boyle Peaking J.C. Boyle Peaking	222 221.2		unnamed trib f unnamed trib g	L	328 657	2659668	3	0.51 1.03	h h	1	191.7 191.7				197	157	1651		-258349	259240			
Subtotal						P.H. Canal												2064	1651				-258349			
	JC Boyle bypass	J.C. Boyle dam	J.C. Boyle Peaking	222.6	Emergency spillway ⁶ Erosion opposite of	Spillway	R								68742	102082		2552	2042	2042	260000	-257958				
	JC Boyle bypass JC Boyle bypass		J.C. Boyle Peaking J.C. Boyle Peaking	222.6 223.2	blowout ⁶ Emergency spillway ⁶	Sidecast erosion Sidecast erosion	L L								10207 1514	15157 2249		379 56	303 45	2345 2390		-257655 -257610				
	JC Boyle bypass	•	J.C. Boyle Peaking	221.5	Big Bend Landslide 1	Big Bend Landslide 1	R								376	558		11	9	2399		-257601				
	JC Boyle bypass	J.C. Boyle dam	J.C. Boyle Peaking	221.4	Big Bend Landslide 2	Big Bend Landslide 2	R								1510	2242		49	39	2438		-257562				
Subtotal	JC Boyle bypass	J.C. Boyle dam	J.C. Boyle Peaking	221	Big Bend Landslide 3	Big Bend Landslide 3	R								590 82939.1705	876 123165	_	19 3066	15 2453	2453		-257547	-257547			
oubtou.															02000.1700	120100		0000	2100				201011			
	J.C. Boyle USGS	h J.C. Boyle Peaking	LC Roylo Gorgo	220.3	Tributaries Connected to the Mainstem ⁹	unnamed trib h	R	2078	8407920		3.25	m	0.5	191.7				311	249	249	140000	-139751				
	J.C. Boyle USGS	h J.C. Boyle Peaking		219.8	are mainstern	unnamed trib i	R	569	2303956	2	0.89	 h	1	191.7				171	136	385	140000	-139615				
	J.C. Boyle USGS	h J.C. Boyle Peaking		219		unnamed trib j	R	415	1678224	2	0.65	m	0.5	191.7				62	50	435		-139565				
	J.C. Boyle USGS	h J.C. Boyle Peaking		218.6		hayden cr (unnamed trib k)	R	879	3555900	4	1.37	h	1	191.7				263	211	646		-139354				
	J.C. Boyle USGS	h J.C. Boyle Peaking		218.5		unnamed trib I	L	127	512826	1	0.20	h	1	191.7				38	30	676		-139324				
	J.C. Boyle USGS	h J.C. Boyle Peaking		218.4		unnamed trib m	R	186	754314	1	0.29	m	0.5	191.7				28	22	698		-139302				
		h J.C. Boyle Peaking	J.C. Boyle Gorge	218.3		unnamed trib n	R	19	78300	0	0.03	h	1	191.7				6	5	703		-139297				
		h J.C. Boyle Peaking	J.C. Boyle Gorge	218.2		unnamed trib o	L	1071	4335351	4	1.67	h	1	191.7				321	257	960		-139040				
		h J.C. Boyle Peaking	J.C. Boyle Gorge	217.5		unnamed trib p	L	204	825300	1	0.32	h	1	191.7				61	49	1008		-138992				
		h J.C. Boyle Peaking	J.C. Boyle Gorge	217.2		unnamed trib q	R	1236	5000554	5	1.93	m	0.5	191.7				185	148	1157		-138843				
		h J.C. Boyle Peaking	J.C. Boyle Gorge	217.1		unnamed trib r	R	345	1397700	1	0.54	h	1	191.7				103	83	1239		-138761				
		h J.C. Boyle Peaking	J.C. Boyle Gorge	216.9		unnamed trib s	L	78	317299	0	0.12	m	0.5	191.7				12	9	1249		-138751				
		h J.C. Boyle Peaking	J.C. Boyle Gorge	216.7		unnamed trib t	L	24	97800	0	0.04	h	1	191.7				7	6	1254		-138746				
		h J.C. Boyle Peaking	J.C. Boyle Gorge	216.6		unnamed trib u	L	6	25200	0	0.01	h	1	191.7				2	1	1256		-138744				
	J.C. Boyle USGS Gauge/Frain Ranci J.C. Boyle USGS	h J.C. Boyle Peaking	J.C. Boyle Gorge	216.5		unnamed trib v	R	132	533712	1	0.21	m	0.5	191.7				20	16	1272		-138728				
		h J.C. Boyle Peaking	J.C. Boyle Gorge	216.3		unnamed trib topsy	L	5762	23319684	23	9.00	1	0.25	191.7				432	345	1617		-138383				
		h J.C. Boyle Peaking	J.C. Boyle Gorge	216		unnamed trib w	R	173	698888	1	0.27	h	1	191.7				52	41	1658		-138342				
		h J.C. Boyle Peaking	J.C. Boyle Gorge	215.4		bear flat cr	R	566	2289026	2	0.88	m	0.5	191.7				85	68	1726		-138274				
		h J.C. Boyle Peaking	J.C. Boyle Gorge	214.9		unnamed trib x	L	554	2241883	2	0.87	m	0.5	191.7				83	66	1793		-138207				
Subtotal		h J.C. Boyle Peaking	J.C. Boyle Gorge	214.6		unnamed trib y	R	47	189900	0	0.07	m	0.5	191.7				7 2248	6 1798	1798		-138202	-138202			
					Tributaries Connected to																					
		J.C. Boyle Gorge J.C. Boyle Gorge	J.C. Boyle Shovel Cr J.C. Boyle Shovel Cr	214.4 213.8	the Mainstem ⁹	unnamed trib z rock cr	L L	24 9948	98100 40258165	0 40	0.04 15.54	m m	0.5 0.5	191.7 191.7				4 1490	3 1192	3 1195	210000	-209997 -208805				
	J.C. Boyle Gorge	J.C. Boyle Gorge J.C. Boyle Gorge	J.C. Boyle Shovel Cr J.C. Boyle Shovel Cr	213 212.5		unnamed trib aa unnamed trib bb	L	129 516	520561 2087016	1 2	0.20 0.81	h	1 0.25	191.7 191.7				39 39	31 31	1226 1257		-208774 -208743				
	J.C. Boyle Gorge	J.C. Boyle Gorge	J.C. Boyle Shovel Cr	212.4		unnamed trib cc	R	620	2511074	3	0.97	m	0.25	191.7				93	74	1331		-208669				
		J.C. Boyle Gorge J.C. Boyle Gorge	J.C. Boyle Shovel Cr J.C. Boyle Shovel Cr	211.9 211.8		unnamed trib dd unnamed trib ee	L L	66 51	266119 204487	0	0.10 0.08	h h	1 1	191.7 191.7				20 15	16 12	1347 1359		-208653 -208641				
	J.C. Boyle Gorge	J.C. Boyle Gorge	J.C. Boyle Shovel Cr	210.6		unnamed trib ff	Ī.	1842	7452938	7	2.88	h	1	191.7				552	441	1800		-208200				
	J.C. Boyle Gorge	J.C. Boyle Gorge J.C. Boyle Gorge	J.C. Boyle Shovel Cr J.C. Boyle Shovel Cr	210.2 209.9		unnamed trib ff2 unnamed trib gg	L R	229 2088	925615 8448908	1 8	0.36 3.26	n h	1 1	191.7 191.7				69 625	55 500	1855 2355		-208145 -207645				
Subtotal		J.C. Boyle Gorge	J.C. Boyle Shovel Cr	209.2		hayden cr	R	17786	71976105	72	27.79	1	0.25	191.7				1332 4276	1065 3421	3421		-206579	-206579			
Jubiolai																		7210	0421				200013			

Klamath River (Link River to Seiad Valley) Master Sediment Budget

Master Sediment Budget			Input Sum	mary																						
	R	leach Description						-	Tributa	ary/Watersh	ed				Land	slides	Other Source	es			Transport	Deficit/Surplus			 	
Reach	Subreach	Upstream Extent	Downstream Extent	River Mile	Input Source	Tributary Name	Relation to Mainstem Looking DS (river right (R), river left (L))		Watershed Area (m²)				Connectivity Factor ¹	Sediment Yield ² (tons/mi2/vr)	Volume of Slide (yds ³)	Tons of slide (using bulk density of 1.485 tons/yds ³)	Streambank and floodplai storage		Bed Material Load + Bedload Delivery (tons/ year)	Cummulative Bed Material Load + Bedload Delivery by Reach (tons/ year)	Theoretical Average Annual Transport Capacity ³ (tons/yr)	Potential Average Annual Deficit or Surplus by Cell (tons/yr)	Potential Average Annua Deficit or Surplus by Reach or Subreach (tons/yr)	Actual Average Annual Deficit or Surplus by Reach or Subreach (tons/yr)	Cumulative	Notes
	J.C. Boyle Shovel				Tributaries Connected to		R			2			0.25	191.7				34	27	27		-199973				
	Creek J.C. Boyle Shovel	J.C. Boyle Shovel Cr		207.4	the Mainstem ⁹	unnamed trib hh		450	1820012	7	0.70										200000					
	Creek J.C. Boyle Shovel	J.C. Boyle Shovel Cr		207.3		unnamed trib ii	L	1721	6965435	•	2.69	1	0.25	191.7				129	103	130		-199870				
	Creek J.C. Boyle Shovel	J.C. Boyle Shovel Cr		207.2		unnamed trib jj	L	466	1885500	2	0.73		0.25	191.7				35	28	158		-199842				
	Creek J.C. Boyle Shovel	J.C. Boyle Shovel Cr		206.1		shovel cr	L -	32749	132531368	133	51.17		0.25	191.7				2452	1962	2120		-197880				
	Creek J.C. Boyle Shovel	J.C. Boyle Shovel Cr		205.8		eagle cr	R	4584	18549835	19	7.16	ı	0.25	191.7				343	275	2394		-197606				
	Creek J.C. Boyle Shovel	J.C. Boyle Shovel Cr		205.7		unnamed trib II	L	579	2342700	2	0.90	m	0.5	191.7				87	69	2464		-197536				
	Creek J.C. Boyle Shovel	J.C. Boyle Shovel Cr		205.3		unnamed trib mm		177	714898	1	0.28		0.25	191.7				13	11	2474		-197526				
	Creek J.C. Boyle Shovel	J.C. Boyle Shovel Cr		204.2		unnamed trib nn		969	3919867	4	1.51		0.25	191.7				73 50	58 40	2532		-197468				
Subtotal	Creek	J.C. Boyle Shovel Cr	Copco res.	204.1		unnamed trib oo	L	661	2676820	3	1.03	ı	0.25	191.7				3215	2572	2572		-197428	-197428			
					Tributaries Connected to																					
	Copco res. Copco res.	Copco res. Copco res.	Copco dam Copco dam	203.3 203.2	the Mainstem ⁹	unnamed trib a long prairie cr	L R	219 39242	885084 158805725	1 159	0.34 61.31	m I	0.5 0.25	191.7 191.7				33 2939	26 2351	26 2377	0	26 2377				
	Copco res. Copco res.	Copco res. Copco res.	Copco dam Copco dam	203.1 202.7		unnamed trib b milk cr	R L	55 596	221676 2410176	0 2	0.09 0.93	l m	0.25 0.5	191.7 191.7				4 89	3 71	2380 2452		2380 2452				
	Copco res. Copco res.	Copco res. Copco res.	Copco dam Copco dam	202.4 201.9		snackenburg cr spannaus gulch	L R	1822 557	7373700 2253600	7 2	2.85 0.87	l m	0.25 0.5	191.7 191.7				136 83	109 67	2561 2628		2561 2628				
	Copco res. Copco res.	Copco res. Copco res.	Copco dam Copco dam	201.8 201.2		parks canyon unnamed trib c	L R	647 74	2618100 298482	3 0	1.01 0.12	l m	0.25 0.5	191.7 191.7				48 11	39 9	2666 2675		2666 2675				
	Copco res. Copco res.	Copco res. Copco res.	Copco dam Copco dam	201.2 200.9		unnamed trib d unnamed trib e	R R	345 97	1396715 391725	1 0	0.54 0.15	m m	0.5 0.5	191.7 191.7				52 14	41 12	2716 2728		2716 2728				
	Copco res. Copco res.	Copco res. Copco res.	Copco dam Copco dam	200.9 200.5		deer cr raymond gulch	L R	4473 1625	18100800 6574500	18 7	6.99 2.54	l m	0.25 0.5	191.7 191.7				335 243	268 195	2996 3191		2996 3191				
	Copco res. Copco res.	Copco res. Copco res.	Copco dam Copco dam	200.4 199.9		unnamed trib g unnamed trib h	L R	82 70	333334 282171	0	0.13 0.11	I I	0.25 0.25	191.7 191.7				6	5	3196 3200		3196 3200				
	Copco res. Copco res.	Copco res. Copco res.	Copco dam Copco dam	199.7 199.6		beaver cr unnamed trib i	R	3563 108	14420700 436500	14 0	5.57 0.17	i m	0.25 0.5	191.7 191.7				267 16	213 13	3413 3426		3413 3426				
	Copco res. Copco res.	Copco res. Copco res.	Copco dam Copco dam	199.6 199.6		unnamed trib j unnamed trib k	L	141 182	568865 735300	1	0.22 0.28	Ï	0.25 0.25	191.7 191.7				11 14	8 11	3435 3445		3435 3445				
	Copco res. Copco res.	Copco res. Copco res.	Copco dam Copco dam	199.5 199.4		unnamed trib I unnamed trib m	R	14 92	58163 373500	0	0.02 0.14	m m	0.5 0.5	191.7 191.7				2	2 11	3447 3458		3447 3458				
	Copco res.	Copco res. Copco res.	Copco dam Copco dam	199.4 199.2 199.1		unnamed trib n unnamed trib o	R	36 719	144000 2909542	0	0.14 0.06 1.12	h I	0.5 1 0.25	191.7 191.7 191.7				11 11 54	9	3467 3510		3467 3510				
Subtotal	Copco res. Copco res.	Copco res.	Copco dam	198.9		unnamed trib p	L	196	793800	1	0.31	i	0.25	191.7				15 4402	12 3522	3522		3522	3522			
Subreach Subtotals																		4402	3022				3322			
		LC Boyle dam	LC Route Beaking		Tributaries Connected to the Mainstem ⁹													5131	4404	4104	260000		255906			
J.C. Boyle Bypass J.C. Boyle USGS		J.C. Boyle dam	J.C. Boyle Peaking		Tributaries Connected to														4104		260000		-255896			
Gauge/Frain Ranch			J.C. Boyle Gorge		the Mainstem ⁹ Tributaries Connected to													2248	1798	5903	140000		-138202			
J.C. Boyle Gorge		Copco dam	J.C. Boyle Shovel Cr		the Mainstem ⁹ Tributaries Connected to													4276	3421	9323	210000		-206579			
J.C. Boyle Shovel Creel	(Copco dam	Copco res.		the Mainstem ⁹ I ributaries Connected to													3215	2572	11895	200000		-197428			
Cocpo Reservoir Reach Total		Copco res.	Copco dam		the Mainstem ⁹													4402 19271	3522 15417	15417	0 810000		3522 -794583	-15417	-21551	Deficit to Copco Reach
					Tributaries connected to																					
Сорсо	Copco bypass Iron Gate res.	Copco Dam Iron Gate res.	Iron Gate res. Iron Gate dam	197.5 194.2	the mainstem	unnamed trib a Jenny Cr.	L R	134329	543594111	544	0.22 209.89	m I	0.5 1	166.1 22.8				18 4785	15 3828	15 3843	480000	-479985 -476157				
	Iron Gate res.	Iron Gate res.	Iron Gate dam	192.3		Camp and Dutch Crks	R	12621	51072828	51	19.72	1	1	166.1				3275	2620	6463		-473537				
Subtotal	Iron Gate res.	Iron Gate res.	Iron Gate dam	179.4		Scotch Cr.	R	11482	46462806	46	17.94	ı	1	219.8				3943 12022	3155 9618	9618		-470382	-470382			
					Remaining watershed are	a																				
	Iron Gate res.	Iron Gate res.	Iron Gate dam		of the Copco Project Reach ⁷	Iron Gate Tribs.	Both	17882	72361806	72	27.94	1	0.25	197.7				1381	1105	1105	0	1105				
Reach Total											275.49							13403	10723	10723	480000		-469277	-10723	-32274	Deficit to DS Iron Gate Reach
Iron Gate																										
	Iron Gate Dam to Cottonwood Creek	Iron Gate dam	Cottonwood Cr	189.6	Tributaries connected to the mainstem ⁸	Bogas Cr.	L	34522	34522	140	53.94	NA	NA	191.7				10340	8272	8272	3000	5272				
	Iron Gate Dam to Cottonwood Creek		Cottonwood Cr	185.0	the mainstern	Willow Cr.	L	37540	37540	152	58.66	NA	NA NA	191.7				11244	8995	17268	3000	14268				
Subtotal		on Gate dam	SOLIOI WOOL OI	103.0			_	37340	37340	132	30.00	110	IVA	131.7				21585	17268	- 17200		14200	14268	14268	-18006	Deficit reduced by reach surplus
	Cottonwood Creek	Cottonwood Cr	Scott Pivor	100.4	Tributaries connected to	Cottonwood Cr	P	62542	62F42	257	00.20	NA	NA	450				44678	44670	44679	10000	25570				
	to Scott River Cottonwood Creek	Cottonwood Cr	Scott River	182.1	the mainstem	Cottonwood Cr.	R	63542	63543	257	99.29	NA NA	NA NA	450					44678	44678	19000	25678				
	to Scott River Cottonwood Creek	Cottonwood Cr	Scott River	176.7		Shasta R.	L	507422	507424	2053	792.85	NA NA	NA NA	450				356783	356783	401461		382461				
	to Scott River Cottonwood Creek	Cottonwood Cr	Scott River	169.7		Lime Gulch	R	23639	23639	96	36.94	NA	NA NA	450				16621	16621	418082		399082				
	to Scott River Cottonwood Creek	Cottonwood Cr	Scott River	167.0		Mainstream Tribs.	Both	163620	163621	662	255.66	NA	NA 	450				115046	115046	533128		514128				
	to Scott River Cottonwood Creek	Cottonwood Cr	Scott River	164.4		Vesa Cr.	L	11331	11331	46	17.70	NA	NA	450				7967	7967	541095		522095				
	to Scott River	Cottonwood Cr	Scott River	161.0		Beaver Cr.	R	69660	69660	282	108.84	NA	NA	450				48980	48980	590075		571075				

Klamath River (Link River to Seiad Valley) Master Sediment Budget

					Input Sum	ımary																				
	Reach Description								Tributa	ary/Watershe	ed				Landsli	ides	Other Sources	5			Transport	Deficit/Surplus				
Reach	Subreach Cottonwood Creek	Upstream Extent	Downstream Extent	River Mile	Input Source	Tributary Name	Relation to Mainstem Looking DS (river right (R), river left (L))	Watershed Area (acres)			Watershed Area (mi²)	Connectivity (h, m, l)	Connectivity Factor ¹	Sediment Yield ² (tons/mi2/yr)	Volume of	ons of slide (using bulk density of 1.485 tons/yds ³)	Streambanks and floodplain storage	Total Load Delivery (tons/ year)	Bed Material Load + Bedload Delivery (tons/ year)	Cummulative Bed Material Load + Bedload Delivery by Reach (tons/ year)	Theoretical Average Annual Transport Capacity ³ (tons/yr)	Potential Average Annual Deficit or Surplus by Cell (tons/yr)	Potential Average Annual Deficit or Surplus by Reach or Subreach (tons/yr)	Actual Average Annual Deficit or Surplus by Reach or Subreach (tons/yr)	Cumulative Deficit to Downstream Reach (tons/year)	Notes
Subtotal	to Scott River	Cottonwood Cr	Scott River	147.3		Horse Cr.	R	38952	38952	158	60.86	NA	NA	450				27388 617463	27388 617463	617463		598463	598463	598463	580457	Deficit overcome by reach surplus
	Downstream of Scott River (include Seiad Valley)	s Scott River	Downstream of Seiad Valley	143.0	Tributaries connected to the mainstem	Scott R.	L	520609	520612	2107	813.46	NA	NA	450				366055	366055	366055	1000	365055				
	Downstream of Scott River (include Seiad Valley)	s Scott River	Downstream of Seiad Valley	130.3	Tributaries connected to the mainstem	Upper Grinder Cr.	L	27628	27628	112	43.17	NA	NA	450				19426	19426	385481		384481				
	Downstream of Scott River (include Seiad Valley)	s Scott River	Downstream of Seiad Valley	130.0	Tributaries connected to the mainstern	Seiad Cr.	R	18491	18491	75	28.89	NA	NA	450				13002	13002	398483		397483		ı		Surplus from upstream reach
Subtotal Subreach Subtotals																		398483	398483				397483	397483		would not move downstream to this each
Iron Gate Dam to Cottonwood Creek		Iron Gate dam	Cottonwood Cr															21585	17268	17268	3000			14268	14268	Surplus from upstream reach would not move downstream to this each Surplus from upstream reach
Cottonwood Creek to Scott River Downstream of Scott		Cottonwood Cr	Scott River															617463	617463	634731	19000			598463	598463	would not move downstream to this each Surplus from upstream reach
River (includes Seiad Valley) Reach Total		Scott River	Downstream of Seiad Valley															398483 1037531	398483 1033214	1033214	1000 23000		1010214	397483		would not move downstream to this each

Note¹

Connectivity Factors										
Reach	Medium	Low	Nearly Disconnected							
Link	0.5	0.25	0.01							
JC Boyle	0.5	0.25								
Conco	0.5	0.25								

ote² Value from sed_yield.xls spreadsheet

Value from AveAnnualTransportCapcity spreadsheet tab

Only two tributaries were identified in this reach and sediment delivered to the mainstem was limited by depositional zones either near the mainstem or in upland meadows. The sediment inputs to this reach were estimated by multiplying a low connenctivity rate by the watershed area. The watershed area for the Link reach was derived by taking the difference of the watershed area at the Link River Gauge and the Keno Gauge published by the USGS. The connectivity factor of 0.01 was based on professional judgment of the GSG and comparison with the measured tributary delta deposits. Historically, a large percentage of the bedload in the Klamath River would have been deposited in Lake Evauna. Therefore, the sediment input value presented for the Link River Project Reach most likely overestimates the contribution of bedload sediment to the channel.

Although 17 tributaries were identified as being directly connected to the mainstem, a low (0.25) connectivity factor was applied the watershed area of the reach. The watershed area was determined by taking the difference between the watershed areas at the Keno gauge and the JC Boyle gauge. The connectivity factor was applied to the watershed area instead of the individual tributaries because the GIS algorithm used to determine watershed boundaries in other reaches was unable to accurately delineate the tributary watershed boundaries from the DEM. Many of the tributaries have flat meadows that limit sediment delivery to the mainstem. Subreach watershed areas and sediment yields were calculated as a percentage of the length of the reservoir by the total reach length. Most likely this method will overestimate the production of sediment from surfaces that are not connected to the mainstem by a channel.

te⁶ Assuming slide started in the 1960s

Scotch, Camp, Dutch, and Jenny creeks and an unnamed "Tributary a" (UN Trib a) cover 90 percent of the watershed area of the Copco Project Reach. Sediment inputs were calculated by multiplying the watershed area of each creek by a connectivity factor derived from tributary delta surveys as described above. The sediment input from the remaining 10 percent of the watershed area was calculated by applying a low connectivity factor (0.25) to the watershed area. Applying the connectivity to watershed areas as that are not directly connected to mainstem by a channel most likely overestimates the content of the connectivity factor (0.25) to the watershed area.

For the reach from Iron Gate Dam to Seiad Valley, two different tributary sediment yields were used to adjust for the change in geologic units that occurs near Cottonwood Creek. Sediment yield for Salmon River from de la Fuente and Hessig (1993) was applied to all tributaries downstream of Cottonwood Creek. This yield was determined by the GSG to underestimate the amount of sediment delivered to the Klamath River by other tributaries downstream. Therefore, this value was not reduced by 20% to account for the suspended load as occurred for the upstream sediment yields. For the reaches upstream of Cottonwood Creek, the yield derived from the tributary delta surveys was multiplied by the watershed area of each tributary to the Klamath River.

Sediment input to the J.C Boyle Reach was determined by multiplying the watershed area of each identified tributary by a connectivity factor. Connectivity factors were determined by weighting the sediment yield value from the tributary delta surveys at Scotch, Camp/ Dutch, Jenny, and Spencer Creeks. Scotch, Camp, and Dutch creeks had a yield of 197 tons/mi2/yr, which was considered a high sediment yield for the upper basin based on the extent of their delta deposits. Tributaries with high channel gradients and without depositional zones were considered to be well connected and were assigned a weight of 1.0 (i.e. their sediment yield was assumed to be the same as that measured for Scotch/Camp/Dutch creeks). Tributaries with shallower slopes and/or some depositional zones upstream were classified as medium in connection, and were assigned a weight of 0.5 (i.e. their sediment yields were assumed to be 0.5 of that measured for Scotch/Camp/Dutch creeks). Tributaries with shallow slopes and extensive depositional areas upstream of the mainstem were assigned a weight of 0.25 (i.e. their sediment yields were assumed to be 0.25 of that measured for Scotch/Camp/Dutch creeks).

Watersheds that appeared to be disconnected with respect to sediment transport by extensive depositional zones upstream of the confluence were classified as nearly disconnected and assigned a value of 0.01. Connectivity factors for this reach ranged from low (0.25) to high (1.0).